INDEX TO AUTHORS

ALLISON, FRED, JR. See ATKINS, ALLISON, SMITH, and WOOD, 353

ATKINS, ELISHA, ALLISON, FRED, JR., SMITH, MARY RUTH, and WOOD, W. BARRY, JR. Studies on the antipyretic action of cortisone in pyrogen-induced fever, 353

— and WOOD, W. BARRY, JR. Studies on the pathogenesis of fever. I. The presence of transferable pyrogen in the blood stream following the injection of typhoid vaccine, 519

BALUDA, MARCEL. See RUBIN, BALUDA, and HOTCHIN, 205

BERLIN, N. I. See BUSH, BERLIN, JENSEN, BRILL, CARTWRIGHT, and WINTROBE, 451

BOHR, DAVID F. See GANLEY, MERCHANT, and BOHR, 605

BRILL, A. B. See BUSH, BERLIN, JENSEN, BRILL, CARTWRIGHT, and WINTROBE, 451

BUSH, J. A., BERLIN, N. I., JENSEN, W. N., BRILL, A. B., CARTWRIGHT, G. E., and WINTROBE, M. M. Erythrocyte life span in growing swine as determined by glycine–2–carbon-14, 451

CARTWRIGHT, G. E. See BUSH, BERLIN, JENSEN, BRILL, CARTWRIGHT, and WINTROBE, 451

CHAUDHURI, S. N. See MARTIN, COOPER, CHAUDHURI, and GREEN, 639

CHEEVER, F. S. See PAPPENHEIMER, CHEEVER, and SALK, 119

COLE, LEON R., and FAVOUR, CUTTING B. Correlations between plasma protein fractions, antibody titers, and the passive transfer of delayed and immediate cutaneous reactivity to tuberculin PPD and tuberculopolysaccharides, 391

COOKE, ROBERT A., MENZEL, ARTHUR E. O., KESSLER, WALTER R., and MYERS, PHYLLIS A. The antibody mechanisms of ragweed allergy. Electrophorectic and chemical studies. I. The blocking antibody, 177

COOPER, C. D. See MARTIN, COOPER, CHAUDHURI, and GREEN, 639

DAMGAARD, EVELYN. See UNGAR and DAMGAARD, 1

DAVES, L. M. See KILBOURNE, 437

DEICHMILLER, MARIA P. See DIXON and MAURER, 245

DIXON, FRANK J., and MAURER, PAUL H. Effects of large infusions of heterologous serum proteins on the serum protein metabolism of rabbits, 233

— and —. Immunologic unresponsiveness induced by protein antigens, 245

DONG, LUTHER. See FABER and DONG, 383

DUBOS, RENÉ J. Effect of metabolic factors on the susceptibility of albino mice to experimental tuberculosis, 59

—. See SPITZNAGEL and DUBOS, 291

—. See WEISS and DUBOS, 313

ELIASCH, HARALD, SELLERS, ALVIN L., ROSENFELD, SHELDON, and MARMORSTON, JESSIE. Protein

metabolism in the mammalian kidney, 129

FABER, HAROLD K., and DONG, LUTHER. Studies on entry and egress of poliomyelitic infection. VIII. The relation of viremia to invasion of the central nervous system, 383

FAVOUR, CUTTING B. See COLE and FAVOUR, 391

—. See KETCHEL and FAVOUR, 647

FINTER, NORMAN B., LIU, OSCAR C., and HENLE, WERNER. Studies on host-virus interactions in the chick embryo–influenza virus system. X. An experimental analysis of the von Magnus phenomenon, 461

FISHMAN, M., and SHECHMEISTER, I. L. The effect of ionizing radiation on phagocytosis and the bactericidal power of the blood. II. The effect of radiation on ingestion and digestion of bacteria, 275

—. See SHECHMEISTER and FISHMAN, 259

FLATAKER, LARS. See WINTER and FLATAKER, 17

FRANTZ, IVAN D., JR., and HINKELMAN, BEVERLY T. Acceleration of hepatic cholesterol synthesis by triton WR-1339, 225

FREUND, JULES, THOMPSON, GEORGE E., and LIPTON, MURRAY M. Aspermatogenesis, anaphylaxis, and cutaneous sensitization induced in the guinea pig by homologous testicular extract, 591

GANLEY, OSWALD H., MERCHANT, DONALD J., and BOHR, DAVID F. The relationship of toxic fractions of a filtrate of *Clostridium perfringens* type A to the pathogenesis of clostridial myonecrosis, 605

GERBER, PAUL, LOOSLI, CLAYTON G., and HAMRE, DOROTHY. Antigenic variants of influenza A virus (PR8 strain). I. Their development during serial passage in the lungs of partially immune mice, 627

GERMUTH, FREDERICK G., JR., PACE, MARY GERALDINE, and TIPPETT, JACK C. Comparative histologic and immunologic studies in rabbits of induced hypersensitivity of the serum sickness type. II. The effect of sensitization to homologous and cross-reactive antigens on the rate of antigen elimination and the development of allergic lesions, 135

GINDER, DAVID R. Resistance to fibroma virus infection. The role of immune leucocytes and immune macrophages, 43

GIRARDI, ANTHONY. See HENLE, GIRARDI, and HENLE, 25

GREEN, R. See MARTIN, COOPER, CHAUDHURI, and GREEN, 639

HALBERT, SEYMOUR P., SWICK, LOIS, and SONN, CONSTANCE. The use of precipitin analysis in agar for the study of human streptococcal infections. I. Oudin technic, 539

—, —, and —. II. Ouchterlony and Oakley technics, 557

HAMLIN, ALICE. See HARFORD, HAMLIN, and PARKER, 577

HAMRE, DOROTHY. See GERBER, LOOSLI, and HAMRE, 627

HARDY, PAUL H., JR., and NELL, E. ELLEN. Specific agglutination of *Treponema pallidum* by sera from rabbits and human beings with treponemal infections, 367

HARFORD, CARL G., HAMLIN, ALICE, and PARKER, ESTHER. Electron microscopy of early cytoplasmic changes due to influenza virus, 577

HARMAN, JOHN W. See WEINREB and HARMAN, 529

HATA, DAIKICHI. See PRICE, WEISS, HATA, and SMITH, 687

HENLE, GERTRUDE, GIRARDI, ANTHONY, and HENLE, WERNER. A non-transmissible cytopathogenic effect of influenza virus in tissue culture accompanied by formation of non-infectious hemagglutinins, 25

HENLE, WERNER. See FINTER, LIU, and HENLE, 461

—. See HENLE, GIRARDI, and HENLE, 25

—. See PAUCKER and HENLE, 479, 493

HILL, R. B., JR. See WHIPPLE, HILL, TERRY, LUCAS, and YUILE, 617

HINKELMAN, BEVERLY T. See FRANTZ and HINKELMAN, 225

HOTCHIN, JOHN E. See RUBIN, BALUDA, and HOTCHIN, 205

JENSEN, W. N. See BUSH, BERLIN, JENSEN, BRILL, CARTWRIGHT, and WINTROBE, 451

JOHANSSON, K. R. See MELNYKOWYCZ and JOHANSSON, 507

KESSLER, WALTER R. See COOKE, MENZEL, KESSLER, and MYERS, 177

KETCHEL, MELVIN M., and FAVOUR, CUTTING B. The acceleration and inhibition of migration of human leucocytes *in vitro* by plasma protein fractions, 647

KILBOURNE, EDWIN D. Reactivation of non-infective virus in a cortisone-injected host, 437

KRAUSE, KATHERINE. See KETCHEL and FAVOUR, 647

KRECH, ULRICH. The antigenic potency of non-infectious poliomyelitis virus as determined by its liberating effect on active virus neutralized by immune serum, 331

KUHNS, WILLIAM J. Immunochemical studies of antitoxin produced in normal and allergic individuals hyperimmunized with diphtheria toxoid. VI. Further investigations on the identity and specificity of non-precipitating skin-sensitizing antitoxin, 109

KUNKEL, H. G. See SLATER, WARD, and KUNKEL, 85

LEE, HOWARD H. See PUCK and LEE, 151

LIPTON, MURRAY M. See FREUND, THOMPSON, and LIPTON, 591

LIU, CH'IEN. Studies on influenza infection in ferrets by means of fluorescein-labelled antibody. I. The pathogenesis and diagnosis of the disease, 665

—. II. The role of "soluble antigen" in nuclear fluorescence and cross-reactions, 677

LIU, OSCAR C. See FINTER, LIU, and HENLE, 461

LOOSLI, CLAYTON G. See GERBER, LOOSLI, and HAMRE, 627

LUCAS, F. V. See WHIPPLE, HILL, TERRY, LUCAS, and YUILE, 617

MAO, FRANCES. See KETCHEL and FAVOUR, 647

MARMORSTON, JESSIE. See ELIASCH, SELLERS, ROSENFELD, and MARMORSTON, 129

MARTIN, S. P., COOPER, C. D., CHAUDHURI, S. N., and GREEN, R. A tissue factor influencing succinic dehydrogenase activity in tuberculous guinea pigs, 639

MAURER, PAUL H. See DIXON and MAURER, 233, 245

MCKEE, FRANK W. See VENNART and MCKEE, 197

MELNICK, JOSEPH L. See REISSIG and MELNICK, 341

MELNYKOWYCZ, J., and JOHANSSON, K. R. Formation of amines by intestinal microorganisms and the influence of chlortetracycline, 507

MENZEL, ARTHUR E. O. See COOKE, MENZEL, KESSLER, and MYERS, 177

MERCHANT, DONALD J. See GANLEY, MERCHANT, and BOHR, 605
MYERS, PHYLLIS A. See COOKE, MENZEL, KESSLER, and MYERS, 177

NELL, E. ELLEN. See HARDY and NELL, 367

PACE, MARY GERALDINE. See GERMUTH, PACE, and TIPPETT, 135
PAPPENHEIMER, ALWIN M., CHEEVER, F. S., and SALK, HERMAN. Jaundice in mice due to anomalies of the biliary tract, 119
PARKER, ESTHER. See HARFORD, HAMLIN, and PARKER, 577
PAUCKER, KURT, and HENLE, WERNER. Studies on host-virus interactions in the chick embryo-influenza virus system. XI. The effect of partial inactivation of standard seed virus at 37°C. upon the progeny, 479
— and —. XII. Further analyses of yields derived from heat-inactivated standard seeds, 493
PRICE, KENNETH C., WEISS, JULES M., HATA, DAIKICHI, and SMITH, JOHN R. Experimental needle biopsy of the myocardium of dogs with particular reference to histologic study by electron microscopy, 687
PUCK, THEODORE T., and LEE, HOWARD H. Mechanism of cell wall penetration by viruses. II. Demonstration of cyclic permeability change accompanying virus infection of *Escherichia coli* B cells, 151

REISSIG, MAGDALENA, and MELNICK, JOSEPH L. The cellular changes produced in tissue cultures by herpes B virus correlated with the concurrent multiplication of the virus, 341
ROSENFELD, SHELDON. See ELIASCH, SELLERS, ROSENFELD, and MARMORSTON, 129
RUBIN, HARRY, BALUDA, MARCEL, and HOTCHIN, JOHN E. The maturation of Western equine encephalomyelitis virus and its release from chick embryo cells in suspension, 205

SALK, HERMAN. See PAPPENHEIMER, CHEEVER, and SALK, 119
SELLERS, ALVIN L. See ELIASCH, SELLERS, ROSENFELD, and MARMORSTON, 129
SHECHMEISTER, I. L., and FISHMAN, M. The effect of ionizing radiation on phagocytosis and the bactericidal power of the blood. I. The effect of radiation on migration of leucocytes, 259
—. See FISHMAN and SHECHMEISTER, 275
SLATER, R. J., WARD, S. M., and KUNKEL, H. G. Immunological relationships among the myeloma proteins, 85
SMITH, JOHN R. See PRICE, WEISS, HATA, and SMITH, 687
SMITH, MARY RUTH. See ATKINS, ALLISON, SMITH, and WOOD, 353
SONN, CONSTANCE. See HALBERT, SWICK, and SONN, 539, 557
SPITZNAGEL, JOHN K., and DUBOS, RENÉ J. A fraction of tubercle bacilli possessing primary toxicity, 291
STETSON, CHANDLER A., JR. Studies on the mechanism of the Shwartzman phenomenon. Similarities between reactions to endotoxins and certain reactions of bacterial allergy, 421
SWICK, LOIS. See HALBERT, SWICK, and SONN, 539, 557

TERRY, R. See WHIPPLE, HILL, TERRY, LUCAS, and YUILE, 617
THOMPSON, GEORGE E. See FREUND, THOMPSON, and LIPTON, 591
TIPPETT, JACK C. See GERMUTH, PACE, and TIPPETT, 135

UNGAR, GEORGES, and DAMGAARD, EVELYN. Tissue reactions to anaphylactic and anaphylactoid stimuli; proteolysis and release of histamine and heparin, 1

VENNART, GEORGE P., and McKEE, FRANK W. The role of homocystine in protecting protein-depleted dogs exposed to fatal doses of chloroform, 197

WARD, S. M. See SLATER, WARD, and KUNKEL, 85

WEINREB, STANLEY, and HARMAN, JOHN W. Phase and electron microscope studies of the interrelationship of cytochondria and myofibrils in pigeon breast muscle, 529

WEISS, DAVID W., and DUBOS, RENÉ J. Antituberculous immunity induced in mice by vaccination with killed tubercle bacilli or with a soluble bacillary extract, 313

WEISS, JULES M. Intracellular changes due to neutral red as revealed in the pancreas and kidney of the mouse by the electron microscope, 213

WEISS, JULES M. See PRICE, WEISS, HATA, and SMITH, 687

WHIPPLE, G. H., HILL, R. B., JR., TERRY, R., LUCAS, F. V., and YUILE, C. L. The placenta and protein metabolism. Transfer studies using carbon-14–labelled proteins in dogs, 617

WINTER, CHARLES A., and FLATAKER, LARS. The effects of drugs upon a graded cough response obtained in sensitized guinea pigs exposed to aerosol of specific antigen, 17

WINTROBE, M. M. See BUSH, BERLIN, JENSEN, BRILL, CARTWRIGHT, and WINTROBE, 451

WOOD, W. BARRY, JR. See ATKINS, ALLISON, SMITH, and WOOD, 353

—. See ATKINS and WOOD, 519

YUILE, C. L. See WHIPPLE, HILL, TERRY, LUCAS, and YUILE, 617

INDEX TO SUBJECTS

AEROSOL of specific antigen, effects of drugs upon graded cough response obtained in sensitized guinea pigs exposed to, 17

Agar, precipitin analysis, for study of human streptococcal infections, Ouchterlony and Oakley technics, 557

—, precipitin analysis, for study of human streptococcal infections, Oudin technic, 539

Agglutination, specific, of *Treponema pallidum* by sera from rabbits and human beings with treponemal infections, 367

Allergic lesions, development, and antigen elimination, effect of sensitization to homologous and cross-reactive antigens on rate of, 135

— and normal individuals hyperimmunized with diphtheria toxoid, antitoxin produced in, immunochemical studies, 109

Allergy, bacterial, reactions of, and reactions to endotoxins, mechanism of Shwartzman phenomenon, 421

—, ragweed, antibody mechanisms, electrophoretic and chemical studies, blocking antibody, 177

Amines, formation by intestinal microorganisms and influence of chlortetracycline, 507

Anaphylactic and anaphylactoid stimuli, tissue reactions to, 1

Anaphylaxis, aspermatogenesis, and cutaneous sensitization induced by homologous testicular extract, 591

Antibody, fluorescein-labelled, studies on influenza infection by, soluble antigen in nuclear fluorescence and cross-reactions, 677

Antibody, fluorescein-labelled, used to study influenza infection, pathogenesis and diagnosis of disease, 665

— mechanisms of ragweed allergy, electrophoretic and chemical studies, blocking antibody, 177

— titers, plasma protein fractions, and passive transfer of delayed and immediate cutaneous reactivity to tuberculin PPD and tuberculopolysaccharides, 391

Antigen, soluble, in nuclear fluorescence and cross-reactions, in studies of influenza infection by fluorescein-labelled antibody, 677

—, specific, effects of drugs upon graded cough response obtained in sensitized guinea pigs exposed to aerosol of, 17

Antigenic potency of non-infectious poliomyelitis virus determined by its liberating effect on active virus neutralized by immune serum, 331

— variants of influenza A virus, development during serial passage in lungs of partially immune mice, 627

Antigens, homologous and cross-reactive, effect of sensitization on rate of antigen elimination and development of allergic lesions, 135

—, protein, immunologic unresponsiveness induced by, 245

Antipyretic action of cortisone in pyrogen-induced fever, 353

Antitoxin, immunochemical studies, produced in normal and allergic individuals hyperimmunized with diphtheria toxoid, identity and

specificity of non-precipitating skin-sensitizing antitoxin, 109
Antituberculous immunity induced by vaccination with killed tubercle bacilli or soluble bacillary extract, 313
Aspermatogenesis, anaphylaxis, and cutaneous sensitization induced by homologous testicular extract, 591

BACILLARY extract, soluble, or killed tubercle bacilli, antituberculous immunity induced in mice by vaccination with, 313
Bacilli, killed tubercle or soluble bacillary extract, antituberculous immunity induced by vaccination with, 313
—, tubercle, possessing primary toxicity, 291
Bacteria, digestion and ingestion of, phagocytosis and bactericidal power of blood, effect of ionizing radiation on, 275
Bacterial allergy, reactions of, and reactions to endotoxins, mechanism of Shwartzman phenomenon, 421
Bactericidal power of blood, effect of ionizing radiation on digestion and ingestion of bacteria, 275
— power and phagocytosis of blood, migration of leucocytes, effect of ionizing radiation on, 259
Biliary tract, jaundice due to anomalies of, 119
Biopsy, needle, of myocardium, histologic study by electron microscopy, 687
Blood, phagocytosis and bactericidal power of, ingestion and digestion of bacteria, effect of ionizing radiation on, 275
—, phagocytosis and bactericidal power of, migration of leucocytes, effect of ionizing radiation on, 259
— stream, transferable pyrogen in, following injection of typhoid vaccine, pathogenesis of fever, 519

CARBON, radioactive, glycine-2-, in determination of erythrocyte life span in growing swine, 451
—, radioactive, labelled proteins used in transfer studies, placenta and protein metabolism, 617
Cell, intracellular changes due to neutral red as revealed in pancreas and kidney by electron microscope, 213
— wall penetration by viruses, cyclic permeability change accompanying virus infection of *Escherichia coli* B cells, 151
Cells, *Escherichia coli* B, cyclic permeability change accompanying virus infection of, in cell wall penetration by, 151
— in suspension, chick embryo, maturation of Western equine encephalomyelitis virus and its release from, 205
Cellular changes produced in tissue cultures by herpes B virus correlated with concurrent multiplication of virus, 341
Chemical and electrophoretic studies, antibody mechanisms of ragweed allergy, blocking antibody, 177
Chemistry, immuno-, studies of antitoxin produced in normal and allergic individuals hyperimmunized with diphtheria toxoid, 109
Chloroform, fatal doses, homocystine in protecting protein-depleted dogs exposed to, 197
Chlortetracycline, influence in formation of amines by intestinal microorganisms, 507
Cholesterol, hepatic, acceleration of synthesis by triton WR-1339, 225
Clostridium perfringens type A, rela-

tionship of toxic fractions of a filtrate of, to pathogenesis of clostridial myonecrosis, 605
Cortisone in pyrogen-induced fever, antipyretic action of, 353
Cortisone-injected host, reactivation of non-infective virus in, 437
Cough response, graded, in sensitized guinea pigs exposed to aerosol of specific antigen, effects of drugs upon, 17
Culture, tissue, non-transmissible cytopathogenic effect of influenza virus in, accompanied by formation of non-infectious hemagglutinins, 25
Cultures, tissue, cellular changes produced by herpes B virus correlated with concurrent multiplication of virus, 341
Cutaneous reactivity, delayed and immediate, to tuberculin PPD and tuberculopolysaccharides, passive transfer of, plasma protein fractions, and antibody titers, 391
— sensitization, aspermatogenesis, and anaphylaxis induced by homologous testicular extract, 591
Cytochondria and myofibrils in muscle, phase and electron microscope studies, 529
Cytopathogenic effect, non-transmissible, of influenza virus in tissue culture accompanied by formation of non-infectious hemagglutinins, 25
Cytoplasmic changes, early, due to influenza virus, electron microscopy, 577

DEHYDROGENASE activity, succinic, tissue factor influencing, in tuberculous infection, 639
Digestion and ingestion of bacteria, phagocytosis and bactericidal power of blood, effect of ionizing radiation, on, 275
Diphtheria toxoid, immunochemical studies of antitoxin produced in normal and allergic individuals hyperimmunized with, 109
Disease, pathogenesis and diagnosis, influenza infection studied by fluorescein-labelled antibody, 665
Drugs, effects upon graded cough response in sensitized guinea pigs exposed to aerosol of specific antigen, 17

ELECTRON microscope, intracellular changes due to neutral red in pancreas and kidney revealed by, 213
— microscope and phase studies of cytochrondria and myofibrils in muscle, 529
— microscopy, histologic study by, in needle biopsy of myocardium, 687
— microscopy of early cytoplasmic changes due to influenza virus, 577
Electrophoretic and chemical studies, antibody mechanisms of ragweed allergy, blocking antibody, 177
Embryo cells in suspension, chick, maturation of Western equine encephalomyelitis virus and its release from, 205
Embryo–influenza virus system, host-virus interactions in, analysis of von Magnus phenomenon, 461
— virus system, host-virus interactions in, effect upon progeny of partial inactivation of seed virus 37°C., 479
— virus system, host-virus interactions in, yields from heat-inactivated seeds, 493
Encephalomyelitis virus, Western equine, maturation and release from chick embryo cells in suspension, 205
Endotoxins, reactions to, and reactions of bacterial allergy, mecha-

nism of Shwartzman phenomenon, 421
Equine encephalomyelitis virus, Western, maturation and release from chick embryo cells in suspension, 205
Erythrocyte life span in growing swine as determined by glycine–2–carbon-14, 451
Escherichia coli B cells, cyclic permeability change accompanying virus infection of, in cell wall penetration by, 151
Extract, homologous testicular, aspermatogenesis, anaphylaxis, and cutaneous sensitization induced by, 591
—, soluble bacillary, or killed tubercle bacilli, antituberculous immunity induced by vaccination with, 313

FEVER, pathogenesis, transferable pyrogen in blood stream following injection of typhoid vaccine, 519
—, pyrogen-induced, antipyretic action of cortisone in, 353
Fibroma virus infection, resistance, immune leucocytes and macrophages, 43
Filtrate, toxic fractions, of *Clostridium perfringens* type A, relationship to pathogenesis of clostridial myonecrosis, 605
Fluorescein-labelled antibody, studies on influenza infection by means of, soluble antigen in nuclear fluorescence of cross-reactions, 677
— antibody, used to study influenza infection, pathogenesis and diagnosis of disease, 665

GLYCINE–2–carbon-14 in determination of erythrocyte life span in growing swine, 451

HEAT-INACTIVATED seeds, yields from, host-virus interactions in embryo–influenza virus system, 493
Hemagglutinins, non-infectious, nontransmissible cytopathogenic effect of influenza virus in tissue culture accompanied by formation of, 25
Heparin and histamine, proteolysis and release of, in tissue reactions to anaphylactic and anaphylactoid stimuli, 1
Hepatic cholesterol synthesis, acceleration by triton WR-1339, 225
Herpes B virus, cellular changes produced in tissue cultures by, correlated with concurrent multiplication of virus, 341
Heterologous serum proteins, effects of large infusions on serum protein metabolism, 233
Histamine and heparin, proteolysis and release of, in tissue reactions to anaphylactic and anaphylactoid stimuli, 1
Histologic and immunologic studies of induced hypersensitivity of serum sickness type, 135
— study by electron microscopy, in needle biopsy of myocardium, 687
Homocystine in protecting protein-depleted dogs exposed to fatal doses of chloroform, 197
Homologous and cross-reactive antigens, effect of sensitization on rate of antigen elimination and development of allergic lesions, 135
— testicular extract, aspermatogenesis, anaphylaxis, and cutaneous sensitization induced by, 591
Host, cortisone-injected, reactivation of non-infective virus in, 437
Host-virus interactions in embryo–influenza virus system, analysis of von Magnus phenomenon, 461
— interactions in embryo–influenza virus system, effect upon progeny of partial inactivation of seed virus at 37°C., 479
— interactions in embryo–influenza

virus system, yields from heat-inactivated seeds, 493
Hypersensitivity of serum sickness type, induced, histologic and immunologic studies, 135

IMMUNE macrophages and leucocytes, resistance to fibroma virus infection, 43
—, partially, mice, development of antigenic variants of influenza A virus during serial passage in lungs of, 627
— serum, antigenic potency of non-infectious poliomyelitis virus determined by its liberating effect on active virus neutralized by, 331
Immunity, antituberculous, induced by vaccination with killed tubercle bacilli or with soluble bacillary extract, 313
Immunization with diphtheria toxoid of normal and allergic individuals, immunochemical studies of antitoxin produced in, 109
Immunochemical studies of antitoxin produced in normal and allergic individuals hyperimmunized with diphtheria toxoid, 109
Immunologic and histologic studies of induced hypersensitivity of serum sickness type, 135
— unreponsiveness induced by protein antigens, 245
Immunological relationships among myeloma proteins, 85
Infection, fibroma virus, resistance, immune leucocytes and macrophages, 43
—, influenza, studied by fluorescein-labelled antibody, pathogenesis and diagnosis, 665
—, influenza, studied by fluorescein-labelled antibody, soluble antigen in nuclear fluorescence and cross-reactions, 677
—, poliomyelitic, entry and egress, relation of viremia to invasion of central nervous system, 383
—, virus, of *Escherichia coli* B cells, cyclic permeability change accompanying, in cell wall penetration by viruses, 151
Infections, human streptococcal, precipitin analysis in agar for study of, Ouchterlony and Oakley technics, 557
—, human streptococcal, precipitin analysis in agar for study of, Oudin technic, 539
—, treponemal, in rabbits and human beings, specific agglutination of *Treponema pallidum* by sera from, 367
Infectious, non-, hemagglutinins, non-transmissible cytopathogenic effect of influenza virus in tissue culture accompanied by formation of, 25
—, non-, poliomyelitis virus, antigenic potency determined by its liberating effect on active virus neutralized by immune serum, 331
Infective, non-, virus, in cortisone-injected host, reactivation of, 437
Influenza A virus, antigenic variants, development during serial passage in lungs of partially immune mice, 627
— infection, studied by fluorescein-labelled antibody, pathogenesis and diagnosis, 665
— infection studied by fluorescein-labelled antibody, soluble antigen in nuclear fluorescence and cross-reactions, 677
— virus, electron microscopy of early cytoplasmic changes due to, 577
— virus in tissue culture, non-transmissible cytopathogenic effect, accompanied by formation of non-infectious hemagglutinins, 25
— virus–embryo system, host-virus interactions, analysis of von Magnus phenomenon, 461
— virus–embryo system, host-virus interactions, effect upon progeny

of partial inactivation of seed virus at 37°C., 479
Influenza virus–embryo system, host-virus interactions, yields from heat-inactivated seeds, 493
Infusions of heterologous serum proteins, effects on serum protein metabolism, 233
Injection of host with cortisone and reactivation of non-infective virus, 437
— of typhoid vaccine, transferable pyrogen in blood stream following, pathogenesis in fever, 519
Intestinal microorganisms, formation of amines by, and influence of chlortetracycline, 507
Ionizing radiation, effect on phagocytosis and bactericidal power of blood, ingestion and digestion of bacteria, 275
— radiation, effect on phagocytosis and bactericidal power of blood, migration of leucocytes, 259

JAUNDICE due to anomalies of biliary tract, 119

KIDNEY, mammalian, protein metabolism in, 129
— and pancreas, intracellular changes due to neutral red revealed by electron microscope, 213

LESIONS, allergic, development, and antigen elimination, effect of sensitization to homologous and cross-reactive antigens on rate of, 135
Leucocytes, human, *in vitro* acceleration and inhibition of migration of, by plasma protein fractions, 647
— and macrophages, immune, resistance to fibroma virus infection, 43
—, migration, phagocytosis and bactericidal power of blood, effect of ionizing radiation on, 259
Life span, erythrocyte, in growing swine as determined by glycine–2–carbon-14, 451
Lungs of partially immune mice, development of antigenic variants of influenza A virus during serial passage in, 627

MACROPHAGES and leucocytes, immune, resistance to fibroma virus infection, 43
Mammalian kidney, protein metabolism in, 129
Man, acceleration and inhibition of migration of human leucocytes *in vitro* by plasma protein fractions, 647
—, precipitin analysis in agar for study of streptococcal infections in, Ouchterlony and Oakley technics, 557
—, precipitin analysis in agar for study of streptococcal infections in, Oudin technic, 539
— and rabbits with treponemal infections, specific agglutination of *Treponema pallidum* by sera from, 367
Metabolic factors, effect on susceptibility to tuberculosis, 59
Metabolism, protein, in mammalian kidney, 129
—, protein, and placenta, transfer studies using carbon-14–labelled proteins, 617
—, serum protein, effects of large infusions of heterologous proteins, 233
Microorganisms, intestinal, formation of amines by, and influence of chlortetracycline, 507
Microscope, electron, intracellular changes due to neutral red in pancreas and kidney revealed by, 213
—, electron, and phase studies of interrelationship of cytochrondria and myofibrils in muscle, 529
Microscopy, electron, needle biopsy of

myocardium, histologic study by, 687
Microscopy, electron, of early cytoplasmic changes due to influenza virus, 577
Muscle, phase and electron microscope studies of cytochondria and myofibrils in, 529
Myeloma proteins, immunological relationships among, 85
Myocardium, needle biopsy, histologic study by electron microscopy, 687
Myofibrils and cytochondria in muscle, phase and electron microscope studies, 529
Myonecrosis, clostridial, pathogenesis, toxic fractions of filtrate of *Clostridium perfringens* type A, 605

NERVOUS system, central, relation of viremia to invasion of, in entry and egress of poliomyelitic infection, 383
Neutral red and intracellular changes in pancreas and kidney revealed by electron microscope, 213
Nuclear fluorescence and cross-reactions, soluble antigen in, studies on influenza infection by fluorescein-labelled antibody, 677

OAKLEY and Ouchterlony technics in precipitin analysis in agar for study of human streptococcal infections, 557
Ouchterlony and Oakley technics in precipitin analysis in agar for study of human streptococcal infections, 557
Oudin technic in precipitin analysis in agar for study of human streptococcal infections, 539

PANCREAS and kidney, intracellular changes due to neutral red revealed by electron microscope, 213
Pathogenesis and diagnosis of disease, influenza infection studied by fluorescein-labelled antibody, 665
Pathogenesis of clostridial myonecrosis, relationship of toxic fractions of filtrate of *Clostridium perfringens* type A, 605
— of fever, transferable pyrogen in blood stream following injection of typhoid vaccine, 519
Permeability change, cyclic, accompanying virus infection of *Escherichia coli* B cells, in cell wall penetration by viruses, 151
Phagocytosis and bactericidal power of blood, ingestion and digestion of bacteria, effect of ionizing radiation on, 275
— and bactericidal power of blood, migration of leucocytes, effect of ionizing radiation on, 259
Phase and electron microscope studies of cytochondria and myofibrils in muscle, 529
Placenta and protein metabolism, transfer studies using carbon-14–labelled proteins in dogs, 617
Plasma protein fractions, acceleration and inhibition of migration of human leucocytes *in vitro* by, 647
— protein fractions, antibody titers, and passive transfer of delayed and immediate cutaneous reactivity to tuberculin PPD and tuberculopolysaccharides, 391
Poliomyelitic infection, entry and egress, relation of viremia to invasion of central nervous system, 383
Poliomyelitis virus, non-infectious, antigenic potency determined by its liberating effect on active virus neutralized by immune serum, 331
Polysaccharides, tuberculo-, and tuberculin PPD, passive transfer of delayed and immediate cutaneous

reactivity to, plasma protein fractions, and antibody titers, 391
Precipitating, non-, skin-sensitizing antitoxin, identity and specificity of, 109
Precipitin analysis in agar for study of human streptococcal infections, Ouchterlony and Oakley technics, 557
— analysis in agar for study of human streptococcal infections, Oudin technic, 539
Progeny, effect of partial inactivation of seed virus at 37°C., host-virus interactions in embryo–influenza virus system, 479
Protein antigens, inducing immunologic unresponsiveness, 245
— derivative, purified, tuberculin and tuberculopolysaccharides, passive transfer of delayed and immediate cutaneous reactivity to, plasma protein fractions, and antibody titers, 391
— fractions, plasma, acceleration and inhibition of migration of human leucocytes *in vitro* by, 647
— fractions, plasma, antibody titers, and passive transfer of delayed and immediate cutaneous reactivity to tuberculin PPD and tuberculopolysaccharides, 391
— metabolism in mammalian kidney, 129
— metabolism and placenta, transfer studies using carbon-14–labelled proteins, 617
Protein-depleted dogs exposed to fatal doses of chloroform, homocystine in protecting, 197
Proteins, heterologous serum, effects of large infusions on serum protein metabolism, 233
—, myeloma, immunological relationships among, 85
Proteolysis and release of histamine and heparin, in tissue reactions to anaphylactic and anaphylactoid stimuli, 1
Pyrogen, transferable, in blood stream following injection of typhoid vaccine, pathogenesis of fever, 519
Pyrogen-induced fever, antipyretic action of cortisone in, 353

RADIATION, ionizing, effect on phagocytosis and bactericidal power of blood, ingestion and digestion of bacteria, 275
—, ionizing, effect on phagocytosis and bactericidal power of blood, migration of leucocytes, 259
Radioactive carbon–glycine–2, erythrocyte life span determined by, 451
—, carbon–labelled proteins, used in transfer studies, placenta and protein metabolism, 617
Ragweed allergy, antibody mechanisms, electrophoretic and chemical studies, blocking antibody, 177
Reactions, cross-, and nuclear fluorescence, soluble antigen in, studies on influenza infection by fluorescein-labelled antibody, 677
—, tissue, to anaphylactic and anaphylactoid stimuli, 1
— to endotoxins and reactions of bacterial allergy, mechanism of Shwartzman phenomenon, 421
Reactivation of non-infective virus in cortisone-injected host, 437
Reactive, cross-, and homologous antigens, effect of sensitization on rate of antigen elimination and development of allergic lesions, 135
Reactivity, delayed and immediate cutaneous, to tuberculin PPD and tuberculopolysaccharides, passive transfer of plasma protein fractions, and antibody titers, 391
Resistance to fibroma virus infection, immune leucocytes and macrophages, 43

SEED virus, partial inactivation at 37°C., effect upon progeny, host-virus interactions in embryo-influenza virus system, 479
Seeds, heat-inactivated, yields from, host-virus interactions in embryo-influenza virus system, 493
Sensitization, cutaneous, aspermatogenesis, and anaphylaxis induced by homologous testicular extract, 591
— to homologous and cross-reactive antigens, effect on rate of antigen elimination and development of allergic lesions, 135
Sensitized guinea pigs exposed to aerosol of specific antigen, effects of drugs upon graded cough response in, 17
Sensitizing, skin-, antitoxin, non-precipitating, identity and specificity, 109
Sera from rabbits and human beings with treponemal infections, specific agglutination of *Treponema pallidum* by, 367
Serum, immune, antigenic potency of non-infectious poliomyelitis virus determined by its liberating effect on active virus neutralized by, 331
— proteins, heterologous, effects of large infusions on serum protein metabolism, 233
— sickness type of induced hypersensitivity, histologic and immunologic studies, 135
Shwartzman phenomenon, mechanism, similarities between reactions to endotoxins and reactions of bacterial allergy, 421
Skin-sensitizing antitoxin, non-precipitating, identity and specificity, 109
Specific agglutination of *Treponema pallidum* by sera from rabbits and human beings with treponemal infections, 367
— antigen, effects of drugs upon graded cough response obtained in sensitized guinea pigs exposed to aerosol of, 17
Specificity and identity of non-precipitating skin-sensitizing antitoxin, 109
Streptococcal infections, human, precipitin analysis in agar for study of, Ouchterlony and Oakley technics, 557
— infections, human, precipitin analysis in agar for study of, Oudin technic, 539
Succinic dehydrogenase activity, tissue factor influencing, in tuberculous infection, 639
Susceptibility to tuberculosis, effect of metabolic factors, 59

TESTICULAR extract, homologous, aspermatogenesis, anaphylaxis, and cutaneous sensitization induced by, 591
Tetracycline, chlor-, influence in formation of amines by intestinal microorganisms, 507
Tissue culture, non-transmissible cytopathogenic effect of influenza virus in, accompanied by formation of non-infectious hemagglutinins, 25
— cultures, cellular changes produced by herpes B virus correlated with concurrent multiplication of virus, 341
— factor influencing succinic dehydrogenase activity in tuberculous infection, 639
— reactions to anaphylactic and anaphylactoid stimuli, 1
Titers, antibody, plasma protein fractions, and passive transfer of delayed and immediate cutaneous reactivity to tuberculin PPD and tuberculopolysaccharides, 391
Toxic fractions of filtrate of *Clostridium perfringens* type A, relationship to pathogenesis of clostridial myonecrosis 605
Toxicity, primary, tubercle bacilli possessing, 291

Toxoid, diphtheria, immunochemical studies of antitoxin produced in normal and allergic individuals hyperimmunized with, 109
Transfer, passive, of delayed and immediate cutaneous reactivity to tuberculin PPD and tuberculopolysaccharides, plasma protein fractions, and antibody titers, 391
— studies using carbon-14–labelled proteins, placenta and protein metabolism, 617
Transmissible, non-, cytopathogenic effect of influenza virus in tissue culture accompanied by formation of non-infectious hemagglutinins, 25
Treponema pallidum, specific agglutination by sera from rabbits and human beings with treponemal infections, 367
Triton WR-1339, acceleration by hepatic cholesterol synthesis by, 225
Tubercle bacilli possessing primary toxicity, 291
Tuberculin PPD and tuberculopolysaccharides, plasma protein fractions, antibody titers, and passive transfer of delayed and immediate cutaneous reactivity to, 391
Tuberculopolysaccharides and tuberculin PPD, plasma protein fractions, antibody titers, and passive transfer of delayed and immediate cutaneous reactivity to, 391
Tuberculosis, effect of metabolic factors on susceptibility to, 59
Tuberculous, anti-, immunity induced by vaccination with killed tubercle bacilli or soluble bacillary extract, 313
— infection, tissue factor influencing succinic dehydrogenase activity in, 639
Typhoid vaccine, transferable pyrogen in blood stream following, pathogenesis of fever, 519

VACCINATION with killed tubercle bacilli or with soluble bacillary extract, antituberculous immunity induced by, 313
Vaccine, typhoid, transferable pyrogen in blood stream following, pathogenesis of fever, 519
Viremia, relation to invasion of central nervous system, in entry and egress of poliomyelitic infection, 383
Virus, herpes B, cellular changes produced in tissue cultures by, correlated with concurrent multiplication of virus, 341
— infection, fibroma, resistance, immune leucocytes and macrophages, 43
—, influenza A, antigenic variants, development during serial passage in lungs of partially immune mice, 627
—, influenza, electron microscopy of early cytoplasmic changes due to, 577
Virus, influenza, in tissue culture, non-transmissible cytopathogenic effect, accompanied by formation of non-infectious hemagglutinins, 25
—, non-infective, reactivation in cortisone-injected host, 437
—, poliomyelitis, non-infectious, antigenic potency determined by its liberating effect on active virus neutralized by immune serum, 331
—, seed, partial inactivation at 37°C., effect upon progeny, host-virus interactions in embryo–influenza virus system, 479
— system, embryo–influenza, host-virus interactions in, analysis of von Magnus phenomenon, 461
—, Western equine encephalomyelitis, maturation and release from chick embryo cells in suspension, 205
Viruses, cell wall penetration by, cyclic permeability change accom-

panying virus infection of *Escherichia coli* B cells, 151
Virus-host interactions in embryo–influenza virus system, analysis of von Magnus phenomenon, 461
— interactions in embryo–influenza virus system, effect upon progeny of partial inactivation of seed virus at 37°C., 479
— interactions in embryo–influenza virus system, yields from heat-inactivated seeds, 493
von Magnus phenomenon, analysis, host-virus interactions in embryo–influenza virus system, 461

WESTERN equine encephalomyelitis virus, maturation and release from chick embryo cells in suspension, 205